



SCHEDULE 2.

- ALL DIMENSIONS ARE IN METRES UNLESS NOTED OTHERWISE.
- ALL LEVELS ARE IN METRES RELATIVE TO ORDNANCE DATUM NEWLYN (MAOD)
- UNLESS NOTED OTHERWISE. DO NOT SCALE FROM THIS DRAWING.
- THIS PLAN IS PROVIDED IN ACCORDANCE WITH THE REQUIREMENTS OF THE FLOOD RISK MANAGEMENT (SCOTLAND) ACT 2009 SECTION 60 AND
- THE FLOOD PROTECTION OPERATIONS DETAILED ON THIS PLAN ARE FULLY DESCRIBED IN THE ACCOMPANYING FLOOD PROTECTION SCHEME
- OPERATIONS DOCUMENT (701909-JEC-S4-ZZZ-XXX-RE-C-0001). SUPPLEMENTARY INFORMATION IS INCLUDED IN THE ACCOMPANYING EIA
- ANY DISTURBED GROUND TO BE REINSTATED. LANDSCAPING PROPOSALS TO
- BE AGREED WITH THE LOCAL AUTHORITY VEGETATION OMITTED FOR CLARITY
- INDICATION OF A PERSON REPRESENTS SOMEONE WHO IS 1.6M TALL
- 10. CHAINAGE REFERS TO THE DISTANCE ALONG THE FLOOD DEFENCE
- ALIGNMENT FOR A GIVEN WORK SECTION 11. AEP (ANNUAL EXCEEDANCE PROBABILITY) IS THE PROBABILITY OF A FLOOD EVENT OCCURRING IN ANY GIVEN YEAR

—FDW**—**

Author Checker Reviewer Approver

LEGEND

Limit of land upon which entry is required for the purpose of carrying out the operations and execution of temporary works

Proposed flood defence embankment

Proposed flood defence wall

Proposed flood gate

Presumed active travel route

Proposed pedestrian footpath

Proposed bridge and ramp Trees and wooded area to be retained where possible

Trees and wooded area to be removed

Existing building structure

Existing watercourse

Existing road or footpath

Structure to be demolished P01 FIRST ISSUE 11/01/2024 LK

Document Control

Rev. Description

Jacobs.


MUSSELBURGH FLOOD PROTECTION **SCHEME**

OUTLINE DESIGN WORK SECTION 37



KN Revision **P01** S3 - SUITABLE FOR REVIEW & COMMENT 1:500 701909-JEC-S4-W37-XXX-DR-Z-0001

Copyright (2022) CITY INC. United Kingdom: The Concept and Injuriation Contained in the Copyring of this document in whole or in part without the written permission of CH2M HILL United Kingdom constitutes an infringement of copyright. Limitation: This drawing has been prepared on behalf of, and for the exclusive used of CH2M HILL United Kingdom's Client, and is subject to, and issued in accordance with, the provision of the contract between CH2M HILL United Kingdom and the Client. CH2M HILL United Kingdom and the Client. CH2M HILL United Kingdom accepts no liability or responsibility whatsoever for, or in respect of, any user of, or reliance upon, this drawing by any third party



KEY MAP

South reservoirs

GENERAL NOTES

- ALL DIMENSIONS ARE IN METRES UNLESS NOTED OTHERWISE.
- ALL LEVELS ARE IN METRES RELATIVE TO ORDNANCE DATUM NEWLYN (MAOD) UNLESS NOTED OTHERWISE.
- DO NOT SCALE FROM THIS DRAWING.
- 4. THIS PLAN IS PROVIDED IN ACCORDANCE WITH THE REQUIREMENTS OF THE FLOOD RISK MANAGEMENT (SCOTLAND) ACT 2009 SECTION 60 AND SCHEDULE 2.
- 5. THE FLOOD PROTECTION OPERATIONS DETAILED ON THIS PLAN ARE FULLY DESCRIBED IN THE ACCOMPANYING FLOOD PROTECTION SCHEME OPERATIONS DOCUMENT (701909-JEC-S4-ZZZ-XXX-RE-C-0001).
- OPERATIONS DOCUMENT (701909-JEC-S4-ZZZ-XXX-RE-C-0001).

 S. SUPPLEMENTARY INFORMATION IS INCLUDED IN THE ACCOMPANYING EIA
- REPORT.

 7. ANY DISTURBED GROUND TO BE REINSTATED. LANDSCAPING PROPOSALS TO
- BE AGREED WITH THE LOCAL AUTHORITY

 8. VEGETATION OMITTED FOR CLARITY
- 9. INDICATION OF A PERSON REPRESENTS SOMEONE WHO IS 1.6M TALL10. CHAINAGE REFERS TO THE DISTANCE ALONG THE FLOOD DEFENCE
- ALIGNMENT FOR A GIVEN WORK SECTION

 11. AFP (ANNUAL EXCEEDANCE PROBABILITY) IS THE PROBABILITY OF A FL
- 11. AEP (ANNUAL EXCEEDANCE PROBABILITY) IS THE PROBABILITY OF A FLOOD EVENT OCCURRING IN ANY GIVEN YEAR

LEGEND

Limit of land upon which entry is required for the purpose of carrying out the operations and execution of temporary works

Proposed flood defence embankment

Proposed flood defence wall

Proposed flood gate

Proposed pedestrian footpath

Presumed active travel route

Proposed bridge and ramp

Trees and wooded area to be retained where possible

Trees and wooded area to be removed

Existing building structure

Existing road or footpath


Existing watercourse

Existing road or footpath

Structure to be demolished

+++++

—FDW**—**



Supplier

Jacobs.

Project Title

MUSSELBURGH FLOOD PROTECTION SCHEME

· ·


OUTLINE DESIGN WORK SECTION 38

Client



Originator LK	Checker EM	Reviewer JB	Approver KN	Approver KN	
Suitability S3 - SUITABI	JITABLE FOR REVIEW & COMMENT		Status S3	Revision P01	
Drawing number 701909-JEC-S4-W38-XXX-DR-Z-0001		Scale 1:50	00		

© Copyright (2022) CH2M HILL United Kingdom. The concepts and information contained in this document are the property of CH2M HILL United Kingdom. Use or copying of this document in whole or in part without the written permission of CH2M HILL United Kingdom constitutes an infringement of copyright. Limitation: This drawing has been prepared on behalf of, and for the exclusive used of CH2M HILL United Kingdom's Client, and is subject to, and issued in accordance with, the provision of the contract between CH2M HILL United Kingdom and the Client. CH2M HILL United Kingdom accepts no liability or responsibility whatsoever for, or in respect of, any user of, or reliance upon, this drawing by any third party





- ALL DIMENSIONS ARE IN METRES UNLESS NOTED OTHERWISE.
- ALL LEVELS ARE IN METRES RELATIVE TO ORDNANCE DATUM NEWLYN (MAOD)
- UNLESS NOTED OTHERWISE. DO NOT SCALE FROM THIS DRAWING.
- THIS PLAN IS PROVIDED IN ACCORDANCE WITH THE REQUIREMENTS OF THE FLOOD RISK MANAGEMENT (SCOTLAND) ACT 2009 SECTION 60 AND
- SCHEDULE 2. THE FLOOD PROTECTION OPERATIONS DETAILED ON THIS PLAN ARE FULLY
- DESCRIBED IN THE ACCOMPANYING FLOOD PROTECTION SCHEME OPERATIONS DOCUMENT (701909-JEC-S4-ZZZ-XXX-RE-C-0001). SUPPLEMENTARY INFORMATION IS INCLUDED IN THE ACCOMPANYING EIA
- ANY DISTURBED GROUND TO BE REINSTATED. LANDSCAPING PROPOSALS TO
- BE AGREED WITH THE LOCAL AUTHORITY
- VEGETATION OMITTED FOR CLARITY
- INDICATION OF A PERSON REPRESENTS SOMEONE WHO IS 1.6M TALL 10. CHAINAGE REFERS TO THE DISTANCE ALONG THE FLOOD DEFENCE
- ALIGNMENT FOR A GIVEN WORK SECTION 11. AEP (ANNUAL EXCEEDANCE PROBABILITY) IS THE PROBABILITY OF A FLOOD
- EVENT OCCURRING IN ANY GIVEN YEAR

Limit of land upon which entry is required for the purpose of carrying out the operations and execution of temporary works

Proposed flood defence embankment

Proposed flood defence wall

Proposed flood gate

Presumed active travel route

Proposed pedestrian footpath

Proposed bridge and ramp

Trees and wooded area to be retained where possible

Trees and wooded area to be removed


Existing building structure

Existing watercourse

Existing road or footpath

Structure to be demolished

444



Jacobs.


MUSSELBURGH FLOOD PROTECTION **SCHEME**

OUTLINE DESIGN WORK SECTION 39



Originator LK	Checker EM	Reviewer JB	Approver KN	Approver KN	
Suitability S3 - SUITABL	E FOR REVIEW & (COMMENT	Status S3	Revision P01	
Drawing number 701909-JEC-S4	1-W39-XXX-DR-Z-0001		Scale 1:50	00	

© Copyright (2022) CH2M HILL United Kingdom. The concepts and information contained in this document are the property of CH2M HILL United Kingdom. Use or copying of this document in whole or in part without the written permission of CH2M HILL United Kingdom constitutes an infringement of copyright. Limitation: This drawing has been prepared on behalf of, and for the exclusive used of CH2M HILL United Kingdom's Client, and is subject to, and issued in accordance with, the provision of the contract between CH2M HILL United Kingdom and the Client. CH2M HILL United Kingdom accepts no liability or responsibility whatsoever for, or in respect of, any user of, or reliance upon, this drawing by any third party





- ALL DIMENSIONS ARE IN METRES UNLESS NOTED OTHERWISE.
- ALL LEVELS ARE IN METRES RELATIVE TO ORDNANCE DATUM NEWLYN (MAOD)
- UNLESS NOTED OTHERWISE. DO NOT SCALE FROM THIS DRAWING.
- THIS PLAN IS PROVIDED IN ACCORDANCE WITH THE REQUIREMENTS OF THE FLOOD RISK MANAGEMENT (SCOTLAND) ACT 2009 SECTION 60 AND
- SCHEDULE 2. THE FLOOD PROTECTION OPERATIONS DETAILED ON THIS PLAN ARE FULLY
- OPERATIONS DOCUMENT (701909-JEC-S4-ZZZ-XXX-RE-C-0001). SUPPLEMENTARY INFORMATION IS INCLUDED IN THE ACCOMPANYING EIA
- ANY DISTURBED GROUND TO BE REINSTATED. LANDSCAPING PROPOSALS TO BE AGREED WITH THE LOCAL AUTHORITY
- VEGETATION OMITTED FOR CLARITY
- INDICATION OF A PERSON REPRESENTS SOMEONE WHO IS 1.6M TALL 10. CHAINAGE REFERS TO THE DISTANCE ALONG THE FLOOD DEFENCE
- 11. AEP (ANNUAL EXCEEDANCE PROBABILITY) IS THE PROBABILITY OF A FLOOD EVENT OCCURRING IN ANY GIVEN YEAR

LEGEND

Limit of land upon which entry is required for the purpose of carrying out the operations and execution of temporary works

Proposed flood defence embankment

Proposed flood defence wall

Proposed flood gate

Presumed active travel route

Proposed pedestrian footpath

Trees and wooded area to be retained where possible

Trees and wooded area to be removed

Existing building structure

Existing watercourse

Existing road or footpath

444 Structure to be demolished P01 FIRST ISSUE 11/01/2024 LK

—FDW**—**

Author Checker Reviewer Approver

Document Control

Rev. Description

Jacobs.


MUSSELBURGH FLOOD PROTECTION **SCHEME**

OUTLINE DESIGN WORK SECTION 40



Originator LK	Checker EM	Reviewer JB	Approver KN	II ''	
Suitability S3 - SUITABLE	TABLE FOR REVIEW & COMMENT		Status S3	Revision P01	
Drawing number 701909-JEC-S4-W40-XXX-DR-Z-0001		Scale 1:50	 00		

© Copyright (2022) CH2M HILL United Kingdom. The concepts and information contained in this document are the property of CH2M HILL United Kingdom. Use or copying of this document in whole or in part without the written permission of CH2M HILL United Kingdom constitutes an infringement of copyright. Limitation: This drawing has been prepared on behalf of, and for the exclusive used of CH2M HILL United Kingdom's Client, and is subject to, and issued in accordance with, the provision of the contract between CH2M HILL United Kingdom and the Client. CH2M HILL United Kingdom accepts no liability or responsibility whatsoever for, or in respect of, any user of, or reliance upon, this drawing by any third party





- ALL DIMENSIONS ARE IN METRES UNLESS NOTED OTHERWISE.
- ALL LEVELS ARE IN METRES RELATIVE TO ORDNANCE DATUM NEWLYN (MAOD)
- UNLESS NOTED OTHERWISE. DO NOT SCALE FROM THIS DRAWING.
- THIS PLAN IS PROVIDED IN ACCORDANCE WITH THE REQUIREMENTS OF THE FLOOD RISK MANAGEMENT (SCOTLAND) ACT 2009 SECTION 60 AND
- THE FLOOD PROTECTION OPERATIONS DETAILED ON THIS PLAN ARE FULLY DESCRIBED IN THE ACCOMPANYING FLOOD PROTECTION SCHEME
- OPERATIONS DOCUMENT (701909-JEC-S4-ZZZ-XXX-RE-C-0001). SUPPLEMENTARY INFORMATION IS INCLUDED IN THE ACCOMPANYING EIA
- ANY DISTURBED GROUND TO BE REINSTATED. LANDSCAPING PROPOSALS TO BE AGREED WITH THE LOCAL AUTHORITY
- VEGETATION OMITTED FOR CLARITY
- INDICATION OF A PERSON REPRESENTS SOMEONE WHO IS 1.6M TALL 10. CHAINAGE REFERS TO THE DISTANCE ALONG THE FLOOD DEFENCE
- ALIGNMENT FOR A GIVEN WORK SECTION 11. AEP (ANNUAL EXCEEDANCE PROBABILITY) IS THE PROBABILITY OF A FLOOD EVENT OCCURRING IN ANY GIVEN YEAR

LEGEND

Limit of land upon which entry is required for the purpose of carrying out the operations and execution of temporary works

Proposed flood defence embankment

Proposed flood defence wall

Presumed active travel route

Proposed pedestrian footpath

Proposed bridge and ramp


Trees and wooded area to be retained where possible

Trees and wooded area to be removed

Existing building structure

Existing road or footpath

Structure to be demolished



—FDW**—**

P01 FIRST ISSUE 11/01/2024 LK Author Checker Reviewer Approver Rev. Description Document Control

Jacobs.


MUSSELBURGH FLOOD PROTECTION **SCHEME**

OUTLINE DESIGN WORK SECTION 41



KN Revision **P01** S3 - SUITABLE FOR REVIEW & COMMENT Scale **1:500** 701909-JEC-S4-W41-XXX-DR-Z-0001

© Copyright (2022) CH2M HILL United Kingdom. The concepts and information contained in this document are the property of CH2M HILL United Kingdom. Use or copying of this document in whole or in part without the written permission of CH2M HILL United Kingdom constitutes an infringement of copyright. Limitation: This drawing has been prepared on behalf of, and for the exclusive used of CH2M HILL United Kingdom's Client, and is subject to, and issued in accordance with, the provision of the contract between CH2M HILL United Kingdom and the Client. CH2M HILL United Kingdom accepts no liability or responsibility whatsoever for, or in respect of, any user of, or reliance upon, this drawing by any third party



KEY MAP

GENERAL NOTES

- ALL DIMENSIONS ARE IN METRES UNLESS NOTED OTHERWISE.
- ALL LEVELS ARE IN METRES RELATIVE TO ORDNANCE DATUM NEWLYN (MAOD)
- UNLESS NOTED OTHERWISE. DO NOT SCALE FROM THIS DRAWING.
- THIS PLAN IS PROVIDED IN ACCORDANCE WITH THE REQUIREMENTS OF THE FLOOD RISK MANAGEMENT (SCOTLAND) ACT 2009 SECTION 60 AND
- SCHEDULE 2. THE FLOOD PROTECTION OPERATIONS DETAILED ON THIS PLAN ARE FULLY
- DESCRIBED IN THE ACCOMPANYING FLOOD PROTECTION SCHEME OPERATIONS DOCUMENT (701909-JEC-S4-ZZZ-XXX-RE-C-0001). SUPPLEMENTARY INFORMATION IS INCLUDED IN THE ACCOMPANYING EIA
- ANY DISTURBED GROUND TO BE REINSTATED. LANDSCAPING PROPOSALS TO BE AGREED WITH THE LOCAL AUTHORITY
- VEGETATION OMITTED FOR CLARITY
- INDICATION OF A PERSON REPRESENTS SOMEONE WHO IS 1.6M TALL 10. CHAINAGE REFERS TO THE DISTANCE ALONG THE FLOOD DEFENCE
- ALIGNMENT FOR A GIVEN WORK SECTION 11. AEP (ANNUAL EXCEEDANCE PROBABILITY) IS THE PROBABILITY OF A FLOOD
- EVENT OCCURRING IN ANY GIVEN YEAR

LEGEND

Limit of land upon which entry is required for the purpose of carrying out the operations and execution of temporary works

Proposed flood defence embankment

Proposed flood defence wall

Proposed flood gate

Presumed active travel route

Proposed pedestrian footpath

Proposed bridge and ramp Trees and wooded area to be retained where possible

Trees and wooded area to be removed

Existing building structure

Existing watercourse

Existing road or footpath

444 Structure to be demolished P01 FIRST ISSUE 11/01/2024 LK

Author Checker Reviewer Approver

Document Control

Rev. Description

Jacobs.


MUSSELBURGH FLOOD PROTECTION **SCHEME**

OUTLINE DESIGN WORK SECTION 42



KN Revision **P01** S3 - SUITABLE FOR REVIEW & COMMENT 1:500 701909-JEC-S4-W42-XXX-DR-Z-0001

Copyright (2022) CITY INC. United Kingdom: The Concept and Injuriation Contained in the Copyring of this document in whole or in part without the written permission of CH2M HILL United Kingdom constitutes an infringement of copyright. Limitation: This drawing has been prepared on beholf of, and for the exclusive used of CH2M HILL United Kingdom's Client, and is subject to, and issued in accordance with, the provision of the contract between CH2M HILL United Kingdom and the Client. CH2M HILL United Kingdom and the Client. CH2M HILL United Kingdom accepts no liability or responsibility whatsoever for, or in respect of, any user of, or reliance upon, this drawing by any third party





- ALL DIMENSIONS ARE IN METRES UNLESS NOTED OTHERWISE.
- ALL LEVELS ARE IN METRES UNLESS NOTED OTHERWISE.

 ALL LEVELS ARE IN METRES RELATIVE TO ORDNANCE DATUM NEWLYN (MAOD)
- UNLESS NOTED OTHERWISE.
- DO NOT SCALE FROM THIS DRAWING.
 THIS PLAN IS PROVIDED IN ACCORDANCE WITH THE REQUIREMENTS OF THE FLOOD RISK MANAGEMENT (SCOTLAND) ACT 2009 SECTION 60 AND
- SCHEDULE 2.
 THE FLOOD PROTECTION OPERATIONS DETAILED ON THIS PLAN ARE FULLY
- OPERATIONS DOCUMENT (701909-JEC-S4-ZZZ-XXX-RE-C-0001).

 SUPPLEMENTARY INFORMATION IS INCLUDED IN THE ACCOMPANYING EIA

DESCRIBED IN THE ACCOMPANYING FLOOD PROTECTION SCHEME

- REPORT.
 7. ANY DISTURBED GROUND TO BE REINSTATED. LANDSCAPING PROPOSALS TO
- BE AGREED WITH THE LOCAL AUTHORITY

 8. VEGETATION OMITTED FOR CLARITY
- INDICATION OF A PERSON REPRESENTS SOMEONE WHO IS 1.6M TALL
- 10. CHAINAGE REFERS TO THE DISTANCE ALONG THE FLOOD DEFENCE ALIGNMENT FOR A GIVEN WORK SECTION
- 1. AEP (ANNUAL EXCEEDANCE PROBABILITY) IS THE PROBABILITY OF A FLOOD EVENT OCCURRING IN ANY GIVEN YEAR

LEGEND

Limit of land upon which entry is required for the purpose of carrying out the operations and execution of temporary works

Proposed flood defence embankment

Proposed flood defence wall

Proposed flood gate

Presumed active travel route

Proposed pedestrian footpath

Proposed bridge and ramp

Trees and wooded area to be retained where possible

Trees and wooded area to be removed

Existing building structure

Existing watercourse

Existing road or footpath

Structure to be demolished

++++

Author Checker Reviewer Approver

—FDW**—**

11.11111111

Rev. Description

Document Control

P01 FIRST ISSUE

Jacobs.

11/01/2024 LK

roject Title

MUSSELBURGH FLOOD PROTECTION SCHEME

Orawing Title

OUTLINE DESIGN WORK SECTION 43

Client



Originator
LK

Suitability
S3 - SUITABLE FOR REVIEW & COMMENT

Drawing number
701909-JEC-S4-W43-XXX-DR-Z-0001


Reviewer
JB

Status
S3

P01

Scale
1:500

© Copyright (2022) CH2M HILL United Kingdom. The concepts and information contained in this document are the property of CH2M HILL United Kingdom. Use or copying of this document in whole or in part without the written permission of CH2M HILL United Kingdom constitutes an infringement of copyright. Limitation: This drawing has been prepared on behalf of, and for the exclusive used of CH2M HILL United Kingdom's Client, and is subject to, and issued in accordance with, the provision of the contract between CH2M HILL United Kingdom and the Client. CH2M HILL United Kingdom accepts no liability or responsibility whatsoever for, or in respect of, any user of, or reliance upon, this drawing by any third party





- ALL DIMENSIONS ARE IN METRES UNLESS NOTED OTHERWISE.
- ALL LEVELS ARE IN METRES RELATIVE TO ORDNANCE DATUM NEWLYN (MAOD)
- UNLESS NOTED OTHERWISE. DO NOT SCALE FROM THIS DRAWING.
- THIS PLAN IS PROVIDED IN ACCORDANCE WITH THE REQUIREMENTS OF THE FLOOD RISK MANAGEMENT (SCOTLAND) ACT 2009 SECTION 60 AND
- SCHEDULE 2. THE FLOOD PROTECTION OPERATIONS DETAILED ON THIS PLAN ARE FULLY
- DESCRIBED IN THE ACCOMPANYING FLOOD PROTECTION SCHEME OPERATIONS DOCUMENT (701909-JEC-S4-ZZZ-XXX-RE-C-0001). SUPPLEMENTARY INFORMATION IS INCLUDED IN THE ACCOMPANYING EIA
- ANY DISTURBED GROUND TO BE REINSTATED. LANDSCAPING PROPOSALS TO
- BE AGREED WITH THE LOCAL AUTHORITY VEGETATION OMITTED FOR CLARITY
- INDICATION OF A PERSON REPRESENTS SOMEONE WHO IS 1.6M TALL
- 10. CHAINAGE REFERS TO THE DISTANCE ALONG THE FLOOD DEFENCE
- ALIGNMENT FOR A GIVEN WORK SECTION 11. AEP (ANNUAL EXCEEDANCE PROBABILITY) IS THE PROBABILITY OF A FLOOD EVENT OCCURRING IN ANY GIVEN YEAR

LEGEND

Limit of land upon which entry is required for the purpose of carrying out the operations and execution of temporary works

Proposed flood defence embankment

Proposed flood defence wall

Proposed flood gate

Presumed active travel route

Proposed pedestrian footpath

Proposed bridge and ramp

Trees and wooded area to be retained where possible

Trees and wooded area to be removed

Existing building structure

Existing watercourse

Existing road or footpath

Structure to be demolished

444

—FDW**—**

11.11111111

P01 FIRST ISSUE 11/01/2024 LK Rev. Description Author Checker Reviewer Approver Document Control

Jacobs.

MUSSELBURGH FLOOD PROTECTION **SCHEME**

OUTLINE DESIGN WORK SECTION 44



Originator LK	Checker EM	Reviewer JB	Approver KN	''	
Suitability S3 - SUITABL	E FOR REVIEW & C	COMMENT	Status S3	Revision P01	
Drawing number 701909-JEC-S4-	-W44-XXX-DR-Z-0001		Scale 1:500		

© Copyright (2022) CH2M HILL United Kingdom. The concepts and information contained in this document are the property of CH2M HILL United Kingdom. Use or copying of this document in whole or in part without the written permission of CH2M HILL United Kingdom constitutes an infringement of copyright. Limitation: This drawing has been prepared on behalf of, and for the exclusive used of CH2M HILL United Kingdom's Client, and is subject to, and issued in accordance with, the provision of the contract between CH2M HILL United Kingdom and the Client. CH2M HILL United Kingdom accepts no liability or responsibility whatsoever for, or in respect of, any user of, or reliance upon, this drawing by any third party